

410 E. Scott Avenue, Woodland, WA 98674 (360) 225-8750 Fax: (360) 225-5086 On the Web: www.tsugawanursery.com E-mail: sales@tsugaawanursery.com

THORNLESS BOYSENBERRIES, LOGANBERRIES, MARIONBERRIES AND TAYBERRIES

POLLINATION: They are self-fertile. More than one variety may be planted together without any problems.

SIZE AR MATURITY: They will trail up to 15 feet or more.

HARDINESS: They are not quite as hardy as the erect types but can take temperatures down to minus 10 degrees.

EXPOSURE: They do best in full sun.

SPACING: Plant them 6 feet apart, with rows 8 feet apart.

HARVEST TIME: August through September

METHOD OF PROPAGATION: Cuttings or tip layering.

LIFE EXPECTANCY OF THE PLANT: 6 to 25 years depending on the variety and the method of

care

HOW LONG BEFORE I GET FRUIT: 2 years.

HOW TO GROW

SOIL REQUIREMENTS: They will grow in a wide range of soils. They will tolerate some poor drainage. However, they do best in soils with abundant organic matter. Add lime at planting to help neutralize acidic soils.

CULTURAL REQUIREMENTS: Prune out all fruit canes that produced fruit after harvest. Blackberries bear on last year's growth. Train the new canes on wires or fences. Feed with a good all purpose fertilizer when new growth begins in the spring.

PESTS AND DISEASES: They have no significant problems in out area.

Tsugawa Nursery Spring 2007